

SAFETY DATA SHEET

1. Identification

Product identifier EQO-KLEEN SMP

Other means of identification None.

Recommended use Cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer NameQualiChem, Inc.AddressPO Box 926Salem, VA USA

Email customerservice@qualichem.com

Website www.qualichem.com

Emergency Phone Number For Chemical Emergency ONLY (spill, leak, fire, exposure, or accident), 24 hour

emergency telephone, call Chemtel at +1-800-255-3924 (US, Canada);

+1-813-248-0585 elsewhere.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

+1-540-375-6700

Serious eye damage/eye irritation Category 2

Label elements

Telephone



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
1-amino-2-propanol		78-96-6	1 - 5
Amine neutralized carboxylic acid		84473-71-2	1 - 5
Amine neutralized carboxylic acid		Not Available	1 - 5
Amine neutralized carboxylic acid		Not Available	1 - 5
o-Phenylphenol		90-43-7	0.1 - 1

Material name: EQO-KLEEN SMP

212 Version #: 05 Revision date: 12-14-2016 Issue date: 05-19-2015

Chemical name	Common name and synonyms	CAS number	%
Propylene glycol		57-55-6	0.1 - 1
Other components below reportable levels			80 - 100

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Most important vision. Skin irritation. May cause redness and pain.

symptoms/effects, acute and

delaved Indication of immediate Provide general supportive measures and treat symptomatically. Keep victim under observation.

medical attention and special Symptoms may be delayed. treatment needed

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire. Unsuitable extinguishing

During fire, gases hazardous to health may be formed. Specific hazards arising from

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment

Fire fighting Move containers from fire area if you can do so without risk. equipment/instructions

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

and precautions for firefighters

the chemical

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Environmental precautions

This product is miscible in water. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate Precautions for safe handling

ventilation. Wear appropriate personal protective equipment. Avoid release to the environment.

Observe good industrial hygiene practices.

Conditions for safe storage, Store in original tightly closed container. Store away from incompatible materials (see Section 10 including any incompatibilities of the SDS).

Material name: EQO-KLEEN SMP SDS US 2/6 212 Version #: 05 Revision date: 12-14-2016 Issue date: 05-19-2015

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. Workplace Environmental Exposure Level (WEEL) Guides

ComponentsTypeValueFormPropylene glycol (CASTWA10 mg/m3Aerosol.57-55-6)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear suitable protective clothing.

Respiratory protection
No personal respiratory protective equipment normally required.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Clear Liquid.
Color Light yellow
Odor Citrus

Odor threshold Not available. pH 10.0 - 10.6

Melting point/freezing point $< 40 \,^{\circ}\text{F} (< 4.4 \,^{\circ}\text{C})$ estimated Initial boiling point and boiling $> 212 \,^{\circ}\text{F} (> 100 \,^{\circ}\text{C})$ estimated

range

Flash point None

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure < 1.0 mm Hg estimated

Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Complete

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Material name: EQO-KLEEN SMP
212 Version #: 05 Revision date: 12-14-2016 Issue date: 05-19-2015

Decomposition temperature Not available. **Viscosity** Not available.

Other information

Density 1.03 g/cm3

8.60 lb/gal

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Percent volatile > 70 % estimated

pH in aqueous solution 9.4 - 10.0 (5% Solution)

Specific gravity 1.03

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

o-Phenylphenol (CAS 90-43-7)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

Material name: EQO-KLEEN SMP 212 Version #: 05 Revision date: 12-14-2016 Issue date: 05-19-2015 12. Ecological information

Harmful to aquatic life with long lasting effects. **Ecotoxicity**

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1-amino-2-propanol -0.96 o-Phenylphenol 3.09 Propylene glycol -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow **Disposal instructions**

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

Not established.

Not regulated as dangerous goods.

15. Regulatory information

Listed.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations**

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

o-Phenylphenol (CAS 90-43-7)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Material name: EQO-KLEEN SMP

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

o-Phenylphenol (CAS 90-43-7)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

1-amino-2-propanol (CAS 78-96-6) Low priority

US state regulationsCalifornia Proposition 65 - WARNING: This product contains a chemical known to the State of

California to cause cancer and birth defects or other reproductive harm.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,

subd. (a))

o-Phenylphenol (CAS 90-43-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes

Substances (EINECS)

Korea Existing Chemicals List (ECL)

Philippines Philippine Inventory of Chemicals and Chemical Substances

Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 05-19-2015

 Revision date
 12-14-2016

Version # 05

Disclaimer QualiChem, Inc. cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Material name: EQO-KLEEN SMP SDS US

Yes