

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

1 Identification

- **Product identifier**
- **Trade name:** MoldWiz® EM-1212SF2
- **Application of the substance / the mixture** Release agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Axel Plastics Research Laboratories, Inc.
50 Cambridge Drive
Monroe, CT 06468 USA
info@axelplastics.com
- **Information department:** Product safety department
- **Emergency telephone number:**
USA and Canada: 1-800-424-9300 (24 hours)
Outside of USA and Canada: 001-703-527-3887 (24 hours)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
2-diethylaminoethanol
Proprietary/Alternative Chemical Name Pending
- **Hazard statements**
Causes skin irritation.
Causes serious eye damage.
- **Precautionary statements**
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 1)

If skin irritation occurs: Get medical advice/attention.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Component Information:

100-37-8	2-diethylaminoethanol	$\geq 2.5 - < 5\%$
	Proprietary/Alternative Chemical Name Pending	$\geq 1 - \leq 2.5\%$

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Use fire fighting measures that suit the environment.
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

US
(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Put on appropriate personal protective equipment.

- **Environmental precautions:**

Dilute with plenty of water.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillage into an effluent treatment plant or proceed as follow. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 1 for emergency contact information and Section 13 for waste disposal.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Store in cool, dry place in tightly closed receptacles.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation.

Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

- **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Avoid freezing.

Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** No special requirements.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 3)

- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

100-37-8 2-diethylaminoethanol

PEL	Long-term value: 50 mg/m ³ , 10 ppm Skin
REL	Long-term value: 50 mg/m ³ , 10 ppm Skin
TLV	Long-term value: 2 ppm Skin

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
If a risk assessment indicates engineering controls are not sufficient to protect worker health or comply with relevant legislation, use an approved respirator. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Respirators to be considered for this material include: Half-face filter respirator with Type A filter material.
For the European Union, refer to Standardization (CEN) standards EN 136, 140 and 405 for respirator masks and EN 149 and 143 for filter recommendations. In the United States of America, refer to OSHA Respiratory Protection Standard, 29 CFR 1910.134 and ANSI Z88.2 for respiratory selection, use and maintenance.
- **Protection of hands:**



Hand Protection: Glove suitability depends on the conditions of use. Use gauntlet style gloves if forearms are likely to be exposed. Contact glove manufacturer for appropriate glove selection. Minimally, chemical resistant gloves in accordance with CEN standards EN 420 and EN 374 should be used. Skin Protection: Chemical/oil resistant clothing is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 4)

· Eye protection:



Chemical safety glasses with side shields, goggles or face shield.

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Color:	Whitish
Odor:	Odorless
Odor threshold:	Not determined.

pH-value at 20 °C (68 °F):	10.5
pH range at 20 °C	9.5 - 11.5

· Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	93 - 104 °C

Flash Point:	Non-flammable.
Percentage Volatile	88 %

Decomposition temperature:	Not determined.
----------------------------	-----------------

Auto igniting:	Product is not selfigniting.
----------------	------------------------------

Danger of explosion:	Product does not present an explosion hazard.
----------------------	---

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

Oxidizing properties	Not determined.
----------------------	-----------------

Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
----------------------------------	---------------------

Density:	Not determined.
Relative density	0.99
Vapor density	Not determined.
Evaporation rate	Not determined.

· Solubility in / Miscibility with

Water:	Fully miscible.
--------	-----------------

Partition coefficient (n-octanol/water):	Not determined.
--	-----------------

Viscosity:	< 15 cps @ 25°C
Dynamic:	Not determined.
Kinematic:	Not determined.

· Solvent separation test

VOC content:	Not determined.
--------------	-----------------

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 5)

· **Other information**

No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability** The product is stable under recommended storage conditions.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
Stable at ambient temperature.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****ATE (Acute Toxicity Estimate)**

Oral	LD50	22,606 mg/kg (rat)
Dermal	LD50	23,570 ppm/3H
Inhalative	LC50/4 h	107 mg/l (mouse)

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **IARC Monographs**

- Group 1: Carcinogenic to humans
- Group 2A: Probably carcinogenic to humans
- Group 2B: Possibly carcinogenic to humans
- Group 3: Not classifiable as to its carcinogenicity to humans
- Group 4: Probably not carcinogenic to humans

US

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 6)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
The classification of the product may meet the criteria for a hazardous waste.
- **Uncleaned packagings:**
- **Recommendation:**
The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· DOT, IMDG, IATA	not regulated

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 7)

- | | |
|---|-----------------|
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL/73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Hazardous Air Pollutants

75-21-8 ethylene oxide

· Proposition 65

· Chemicals known to cause cancer:

75-21-8 ethylene oxide

· Chemicals known to cause reproductive toxicity for females:

75-21-8 ethylene oxide

· Chemicals known to cause reproductive toxicity for males:

75-21-8 ethylene oxide

· Chemicals known to cause developmental toxicity:

75-21-8 ethylene oxide

· US State Regulations

· Connecticut - Hazardous Air Pollutants - HLVs (30 min)

None of the ingredients is listed.

· Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

None of the ingredients is listed.

· Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

None of the ingredients is listed.

· Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations

None of the ingredients is listed.

· Occupational Exposure Limits - TWAs

None of the ingredients is listed.

· Michigan - Occupational Exposure Limits - Skin Designations

None of the ingredients is listed.

· Michigan - Occupational Exposure Limits - TWAs

None of the ingredients is listed.

· Minnesota - Hazardous Substance List

None of the ingredients is listed.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 8)

· **Minnesota - Permissible Exposure Limits - Skin Designations**

None of the ingredients is listed.

· **Minnesota - Permissible Exposure Limits - TWAs**

None of the ingredients is listed.

· **New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour**

None of the ingredients is listed.

· **New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual**

None of the ingredients is listed.

· **New York - Occupational Exposure Limits - Skin Designations**

None of the ingredients is listed.

· **New York - Occupational Exposure Limits - TWAs**

None of the ingredients is listed.

· **North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour**

None of the ingredients is listed.

· **North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour**

None of the ingredients is listed.

· **Oregon - Permissible Exposure Limits - TWAs**

None of the ingredients is listed.

· **Tennessee - Occupational Exposure Limits - Skin Designations**

None of the ingredients is listed.

· **Tennessee - Occupational Exposure Limits - TWAs**

None of the ingredients is listed.

· **Texas - Effects Screening Levels - Long Term**

None of the ingredients is listed.

· **Texas - Effects Screening Levels - Short Term**

None of the ingredients is listed.

· **Vermont - Permissible Exposure Limits - Skin Designations**

None of the ingredients is listed.

· **Vermont - Permissible Exposure Limits - TWAs**

None of the ingredients is listed.

· **Washington - Permissible Exposure Limits - Skin Designations**

None of the ingredients is listed.

· **Washington - Permissible Exposure Limits - STELs**

None of the ingredients is listed.

· **Washington - Permissible Exposure Limits - TWAs**

None of the ingredients is listed.

· **Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet**

None of the ingredients is listed.

· **Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet**

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 9)

· Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater

None of the ingredients is listed.

· Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet
--

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)
--

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· EPA Carcinogen Category Key

EPA 2005 Guidelines:

CaH - Carcinogenic to humans.

L - Likely to be carcinogenic to humans.

SC - Suggestive evidence of carcinogenic potential.

II - Inadequate information to assess carcinogenic potential.

NL - Not likely to be carcinogenic to humans.

EPA 1999 Guidelines:

CaH - Carcinogenic to humans.

L - Likely to be carcinogenic to humans.

S - Suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential.

I - Data are inadequate for an assessment of human carcinogenic potential.

NL - Not likely to be carcinogenic to humans.

EPA 1996 Guidelines:

K/L - Known/likely human carcinogen.

CBD - Carcinogenic potential cannot be determined.

NL - Not likely to be carcinogenic to humans.

EPA 1986 Guidelines:

A - Human carcinogen

B1 - Probable human carcinogen - based on limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in animals.

B2 - Probable human carcinogen - based on sufficient evidence of carcinogenicity in animals.

C - Possible human carcinogen.

D - Not classifiable as to human carcinogenicity.

E - Evidence of non-carcinogenicity for humans.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
--

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining components of labeling:

2-diethylaminoethanol

Proprietary/Alternative Chemical Name Pending

· Hazard statements

Causes skin irritation.

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

(Contd. of page 10)

Causes serious eye damage.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

· National regulations:

The components of this product are listed on the USA (TSCA) inventory.

The components of this product are listed on the European (EINECS) inventory.

The components of this product are listed on the Canadian (DSL) inventory.

The components of this product are listed on the South Korean (KECI) inventory.

The components of this product are listed on the Chinese (IECSC) inventory.

The components of this product are listed on the Australia (AICS) inventory.

The components of this product are listed on the Japan (ENCS) inventory.

The components of this product are listed on the Philippines (PICCS) inventory.

The components of this product are listed on the Taiwan (TCSI) inventory.

· Other regulations, limitations and prohibitive regulations**· Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Disclaimer: This data is offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review recommendations in the specific context of the intended use and determine whether they are appropriate.

· Procedure used to derive the classification Calculation method.**· Contact:** info@axelplastics.com**· Date of preparation / last revision** 09/03/2021 / 9**· Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Printing date 09/03/2021

Reviewed on 09/03/2021

Trade name: MoldWiz® EM-1212SF2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. of page 11)

. * **Data compared to the previous version altered.**

US