Nashville Chemical Redefining Water Treatment Services

SAFETY DATA SHEET

1. Identification

Product identifier

CWT 8566

Other means of identification

Product code

CWT 8566

Recommended use

Corrosion Inhibitor

Recommended restrictions

For Industrial Use Only

Manufacturer/importer/Supplier/Distributor information

Manufacturer

Company name

Nashville Chemical & Equipment Company

Address

7001 Westbelt Drive

Nashville, TN 37209 United States

Telephone

1-615-350-7070

E-mail

info@nashchem.com

Emergency phone number

1-800-424-9300

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 2B

Environmental hazards

OSHA defined hazards

Not classified.

Label elements



Signal word

Warning

Hazard statement

Causes skin irritation. Causes eye irritation.

Precautionary statement

Prevention

Wash thoroughly after handling. Wear protective gloves.

Response

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage

Store away from incompatible materials.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	94
Sodium molybdate dihydrate		10102-40-6	70
Potassium hydroxide		1310-58-3	<u>5 - 10</u>
Other components below reportable leve	ale .	1310-30-3	< 5
1 10			> 85

Material name: CWT 8566

CWT 8566 Version #: 01 Issue date: 05-31-2015

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value Sodium molybdate PEL

dihydrate (CAS 10102-40-6)

US. ACGIH Threshold Limit Values

Components Type Value Form

Potassium hydroxide (CAS Ceiling 2 mg/m3

1310-58-3)

Sodium molybdate TWA 0.5 mg/m3 Respirable fraction. dihydrate (CAS 10102-40-6)

US. NIOSH: Pocket Guide to Chemical Hazards Components Value

Potassium hydroxide (CAS TWA 2 mg/m3 1310-58-3)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

5 mg/m3

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene

Always observe good personal hygiene measures, such as washing after handling the material considerations and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid.

Color Light Golden Color.

Odor

None.

Odor threshold pH

Not available.

Melting point/freezing point

12.5 estimated

Not available.

Initial boiling point and boiling

> 212 °F (> 100 °C)

range

Flash point Not available.

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available.

Material name: CWT 8566

CWT 8566 Version #: 01 Issue date: 05-31-2015 Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Relative density

Not available. Not available.

Solubility(ies)

Solubility (water)

Complete.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature

Not available.

Decomposition temperature

Not available. Not available.

Other information

Viscosity

Density

8.73 lbs/gal

Specific gravity

1.05

10. Stability and reactivity

Reactivity

Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous reactions

Hazardous polymerization does not occur.

Conditions to avoid

Do not mix with other chemicals. Contact with incompatible materials.

Incompatible materials

Hazardous decomposition

Acids. Oxidizing agents.

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation

Prolonged inhalation may be harmful.

Skin contact

Causes skin irritation. Causes eye irritation.

Eye contact Ingestion

Expected to be a low ingestion hazard.

Symptoms related to the

physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin

irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Not available.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Material name: CWT 8566

SDS US 4/7

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number

UN1760

UN proper shipping name Transport hazard class(es) CORROSIVE LIQUID, N.O.S. (POTASSIUM HYDROXIDE)

Class

8

Subsidiary risk Packing group

IH

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Potassium hydroxide (CAS 1310-58-3)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances, CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. Massachusetts RTK - Substance List

Potassium hydroxide (CAS 1310-58-3)

US. New Jersey Worker and Community Right-to-Know Act

Potassium hydroxide (CAS 1310-58-3)

US. Pennsylvania Worker and Community Right-to-Know Law

Potassium hydroxide (CAS 1310-58-3)

US. Rhode Island RTK

Potassium hydroxide (CAS 1310-58-3)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name O	n inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo A "No" indicates that one or mon country(s)	ments of this product comply with the inventory requirements administered by the governing components of the product are not listed or exempt from listing on the inventory adminis	na country(c)

16. Other information, including date of preparation or last revision

Issue date

country(s).

05-31-2015

Version #

01

Material name: CWT 8566

SDS US

HMIS® ratings

Health: 2 Flammability: 0 Physical hazard: 0 Personal protection: C

Disclaimer

Seller cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.