

Safety Data Sheet

1. Identification of the Substance/Preparation and of the Company

Product Name	SA-2795
Manufacturer	MORESCO Corporation
Address	5-5-3, Minatojima-minamimachi, Chuo-ku, Kobe-city, Hyogo, Japan
Customer Center	Tel: 81-6-6262-3385 FAX: 81-6-6262-3327 Email Address: customercenter@moresco.co.jp
Emergency phone Number	Hot-Melt Sales Department Sales Section Tel: 81-6-6262-3310 FAX: 81-6-6262-3327 Hot-Melt Sales Department Tokyo Sales Section Tel: 81-3-6205-7911 FAX: 81-3-6205-7915 Hot-Melt Manufacturing Department Technical Section Tel: 81-791-42-2100 FAX: 81-791-43-3179
Recommended Use and Restrictions on Use	Hot-Melt Adhesive

2. Hazard Identification

GHS Classification:

Physical Hazards:	Not applicable
Health Hazards:	Acute Toxicity (Dermal) Category 5
Environmental Hazards: Hazardous to Aquatic Environment	Not applicable

Label Elements:

Pictograms/Symbols	None
Signal Ward	Warning
Hazard Statements	May be harmful in contact with skin
Precautionary Statements	[Prevention] None [Response] IF ON SKIN: Call a POISON CENTER/doctor if you feel unwell. [Storage] None [Disposal] None

When preventive mention mentioned above is not written, take the following information into account about the prevention / response / safekeeping / disposal

3. Composition/Information on Ingredients

Distinction between Substance and Mixture :	Mixture
Chemical Name/Generic Name:	Hot Melt Adhesive (Olefin-Based)
Chemical Formula	Not identified
Ingredient and Concentration	Olefin copolymer, Additives 100%

4. First-Aid Measures

Inhalation:	In case of inhale of the steam which was heated excessively and if feeling abnormality in a throat, remove person to fresh air and comfortable for breathing. Get medical advice/attention.
Skin Contact:	If molten product is on skin, cool off with water immediately and get medical advice/attention.
Eye Contact:	If molten product is in eye, cool off with water immediately and get medical advice/attention.
Ingestion:	Immediately get medical advice/attention.
Expected Acute and	If swallowed, may suffer from diarrhea and vomiting.
Delayed Symptoms, and	May cause inflammation if in eyes.
Most Important Symptoms/	May cause inflammation if on skin.
Effects:	May feel unwell if mist is inhaled.

5. Fire-Fighting Measures

Suitable Extinguishing Media	Use water spray, dry chemical powder, carbon dioxide, dry sand, foam.
Unsuitable Extinguishing Media	Jet water
Specific Hazards	None
Specific Fire-Fighting Measures	Shut off the fire source. Use water spray, dry chemical powder, carbon dioxide, dry sand, foam. Heated water or a molten product may be scattered when doing water dispersion to a molten product in the case of a large-scale fire. In this case it is effective to intercept the air with foam extinguishers. Cool the surrounding facilities with water spray. Prohibit entrance except the person concerned around the fire scene. After extinguishing a fire no admittance is allowed except people involved by stretching rope and others until the inside of the product cools off.
Special Protective Actions for Fire-Fighting	Wearing protective glasses, protective clothing, and if necessary, respiratory protective equipment, start to fight fire on the windward side.

6. Accidental Release Measures

Personal Precautions, Protective

If skin or eye contact is possible, wear protective equipment.

Equipment and Emergency Procedures

If mist is produced, wear respiratory protective equipment to avoid inhalation.

Environmental Precautions

Take up as much as possible to avoid soil contamination and water pollution.

Avoid release to the environment.

Collection/Neutralization

When molted product leaks, remove it after cooling off.

If collecting molten product, wear protective equipment such as protection glasses, protection gloves, long sleeve work clothes and so on.

Methods and Materials for Containment

Remove a nearby firing source and set up fire extinguishing machine parts and prevent leakage by enclosing with sand or sandbag.

Prevention of Secondary Hazards

Remove all the ignition sources immediately.

Report to the related organs for help.

7. Handling and Storage

Handling:

Technical Measures

May burn oneself if molten product is in eye.

Wear protective equipment such as protection glasses when handle it.

May burn oneself if molten product is on skin.

Wear protective equipment such as protection gloves, long sleeve work clothes and so on when handle it.

May feel unwell if mist is inhaled.

Wear respiratory protective equipment to avoid inhalation when handle it.

Do not use other than an apparatus for exclusive use.

Wear protective equipment such as protection glasses, protection gloves, long sleeve work clothes and so on when handle it.

Keep away from heat, sparks, open flames, hot surface and static electricity.

Do not emit steam carelessly.

Be careful so that water or contaminant does not enter.

For use only for adhesive.

Local Exhaust Ventilation/

Refer to '8. Exposure Controls/Personal Protection'.

Full Ventilation System

Avoiding Contact

Refer to '10. Stability and Reactivity'.

Precautions for Safe Handling.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Do not press an empty container. It may explode under pressure.

Do not drink.

Keep out of reach of children.

Hygienic Precautions: Wash hands thoroughly after handling.

Regularly inspect protective equipment according to the inspection table of protective equipment.

Do not eat, drink or smoke when using this product.

Storage:

Technical Measures	Keep away from heat, sparks, open flames, hot surface and static electricity.
Incompatible Materials	Refer to '10. Stability and Reactivity'.
Conditions for Safe Storage	Protect from sunlight. Store in a well-ventilated and cool-dark place.
Materials for Containers/Packaging	When replacing the container, use a box, a film, the paper that made mold release processing. Otherwise it may not come off.

8. Exposure Controls/Personal Protection

Permissible Concentration (Exposure Limit, a biological exposure index)

Japan Society for Occupational Health (2010): Not established ¹⁾

ACGIH (2010): Not established ¹⁾

Standards for Allowable Density of Hazardous Substances in Labor Operation Air: Not established

Engineering Controls: Desirable to use a hot melt applicator that have a direct vent type.
When mist and vapors are produced, seal off sources or provide local exhaust ventilation.

Personal Protective Equipment

Respiratory Protection:	If necessary, wear appropriate respiratory protection.
Hand Protection:	If necessary, wear heat-resistant protective gloves.
Eye Protection:	If necessary, wear protection glasses side shields.
Skin and Body Protection:	If necessary, wear long sleeve work clothes and work shoes.

9. Physical and Chemical Properties

Physical State:

Appearance	Solid
Color	Slightly yellow
Odor	Slight resin odor
pH	Not applicable
Melting/Freezing Point	Not applicable
Boiling Point	Not applicable

Flash Point	210°C (Min)
Explosive Range (Explosive Limits)	No data available
Vapor Pressure	No data available
Vapor Density (air=1)	No data available
Specific Gravity (Density)	0.86 g/cm ³ (15°C)
Solubility	Insoluble in water
Partition Coefficient: n-octanol/water	No data available
Auto-ignition Temperature	No data available
Softening point	132°C
Volatility	None (at room temperatures)

10. Stability and Reactivity

Stability	Stable under normal conditions.
Possibility of Hazardous Reactions	The harmful gas which is CO by burning may be generated.
Conditions to Avoid	When it's opened, it reacts to water in the air. And It's solidifying gradually.
Incompatible Materials	When it's opened, it reacts to water in the air. And It's solidifying gradually
Hazardous Decomposition Products	The harmful gas which is CO by burning may be generated.

11. Toxicological Information

Acute Toxicity:	
Oral	No information classified into Acute toxicity (Oral) as a mixture.
Dermal	Acute Toxicity (Dermal) Category 5 as a mixture. ³⁾
Inhalation	No information classified into Acute toxicity (Inhalation) as a mixture.
Skin Corrosion/Irritation	No information classified into Skin Corrosion/Irritation as a mixture.
Serious Eye Damage/Eye Irritation	No information classified into Serious Eye Damage/Eye Irritation as a mixture.
Respiratory or Skin Sensitization	No information classified into Respiratory or Skin Sensitization as a mixture.
Germ Cell Mutagenicity	No information classified into Germ Cell Mutagenicity as a mixture.
Carcinogenicity	No information classified into Carcinogenicity as a mixture.
Reproductive Toxicity	No information classified into Reproductive Toxicity as a mixture.
STOT/Systemic Toxicity - Single Exposure	No information classified into STOT/Systemic Toxicity Single Exposure as a mixture.
STOT/Systemic Toxicity - Repeated Exposure	No information classified into STOT/Systemic Toxicity- Repeated Exposure as a mixture.
Aspiration Hazard	Aspiration Hazard is classified in Classification Not Possible as a mixture.

12. Ecological Information

Ecotoxicity	No information classified into Aquatic Toxicity as a mixture.
Persistence and Degradability	No information available
Bioaccumulative Potential	No information available
Mobility in Soil	No information available
Hazardous to the ozone layer	No information available
Other Adverse Effects	No information available
Environmental Criteria	No information available

13. Disposal Considerations

Waste Residues	Dispose the waste according to national and local regulations. Do not dump.
Contaminated Containers	Contaminated or empty container/packaging are to be disposed according to and
Packaging	national and local regulations.

14. Transport Information

International Regulation	
UN Classification	Not restricted
IATA/ICAO	Not restricted
IMO	Not restricted
Special Precautions:	Load the containers in a manner that they are certain not to result in direct sunlight exposure, damage, corrosion, leak, while being transported. Load the containers in manner that they are not to fall apart while being transport. Do not place heavy load on top of the container.

15. Regulatory Information

No Information

16. Other Information

- References:
- 1) Recommendation of Occupational Exposure Limits by Japan Society for Occupational Health
 - 2) Thresholds limit values for chemical substances and physical agents and biological exposure indices. ACGIH
 - 3) European chemical Substances Information System
- SDS of raw materials

1. As evaluations on hazards are not necessary satisfactory, special attention should be paid for use.
2. This SDS, summarizing matters to be attended to, is required for proper use of the product and is intended for normal use.

3. Referring to this SDS, properly use and handle this product on the user's own responsibility.
4. The contents of this SDS are based on information available as of today and our knowledge. The information, data, and evaluations herein are not guaranteed, and in addition, may be revised due to revision of laws or knowledge newly obtained.